


12



furniture shutters

Acoustic shutters	12.4
Climber shutters	12.5 — 12.6
Vetro Line sets	12.7 — 12.8
Metallic Line sets	12.9 — 12.10
Components for Metallic Line sets	12.11 — 12.14
Other shutters	12.15 — 12.32
Classic guide	12.17 — 12.20
Top Basic guide	12.21 — 12.22
Top guide	12.23 — 12.26
Frame guide	12.27 — 12.30
Accessories	12.31 — 12.32





FURNITURE SHUTTERS

furniture shutters



Furniture shutters

Roller shutter cabinets are a great way to solve the storage space in the kitchen, the living room or even in the office. Their advantage is not only attractive design and great flexibility, but also easy usage and practicality. Compared with traditional cabinets, roller shutter systems do not need a lot of space for opening and are easily accessible. You can use them in metal as well as wooden cabinets and in such a design that best suits your interior. Invent, design, plan...



Making a custom set

If you have a project in your head or on paper, get down to implementation. According to your requirements, we will prepare furniture shutters in a set prepared for assembly. On our website www.demos-trade.com you will find an order form to enter data, such as dimensions and design, the form automatically displays all the items needed for making a system, including current price. Simply send your order in a completed form and within next two weeks your roller shutter system will be waiting for you.

Our goal is your satisfaction
Service is what we do best.

No order is complicated

With our forms, it is:

- ✓ simple
- ✓ exact
- ✓ updated

Download from the web and send to objednavky@demos-trade.com web
Demos CZ: www.demos-trade.com
Sales Support/Special Orders tab


You can order:

- ✓ Hettich fittings
- ✓ Blum fittings
- ✓ Built-in cabinets fittings
- ✓ Aluminium frames
- ✓ Furniture shutter Rehau
- ✓ Aluminium tables
- ✓ LED strips and lit bottoms
- ✓ Illuminated mirrors
- ... and many more

1. Choose from a number of prepared forms.
2. Enter your billing information and contact details
3. Fill in the dimension boxes, choose the type and kind of product
4. You will get a list of items to order, you will find the price of the complete order, you will choose from the recommended accessories



www.demos-trade.com



Silence and peace for work: Ravoulet Acoustic Line cabinet roller shutters can absorb up to 80% of noise


Ravoulet Acoustic Line cabinet roller shutter system is an effective solution to reduce noise and improve the working conditions in work areas.

The system can absorb up to 80% of existing noise.


Profiles with through punching and embedded acoustic fleece can be used on cabinets, side and vertical plates, dividing walls or as decorative material covering walls.

Deliveries of a unique system are made in the amount from one set for one cabinet.


Please contact us with your inquiry.




Equivalent sound absorption area in accordance with ISO 354
(reverberation chamber) – cabinet with a frontal area of 1.91 m²



— acoustic curve 12 mm (cabinet without binders) — acoustic curve 12 mm (cabinet with binders)






Climber shutters

Suspension roller shutter cabinets with electrically operated glass slats

- electric drive with touch sensor
- elegant folding of slats when opening or closing slats
- exclusive design of bodies and colour options of glass
- slats with the width of 130 mm are made of durable safety glass
- sets are complete roller shutter cabinets including body and engine
- 2 colour body options and 4 colour glass options





Complete Climber roller shutter cabinets, including glass slat shutter and motor drive

body colour	cabinet width (mm)	cabinet height (mm)	colour of the glass slat roller shutter			
			black transparent 1593L	satinato 1594L	black varnished 1595L	white V2778
white high shine – 1591L	600	650	230700	230712	230724	230748
		780	230701	230713	230725	230749
		910	230702	230714	230726	230750
	800	650	230703	230715	230727	230751
		780	230704	230716	230728	230752
		910	230705	230717	230729	230753
	900	650	230706	230718	230730	230754
		780	230707	230719	230731	230755
		910	230708	230720	230732	230756
	1,000	650	230709	230721	230733	230757
		780	230710	230722	230734	230758
		910	230711	230723	230735	230759
stainless steel – 1592L	600	650	230773	230785	230797	230821
		780	230774	230786	230798	230822
		910	230775	230787	230799	230823
	800	650	230776	230788	230800	230824
		780	230777	230789	230801	230825
		910	230778	230790	230802	230826
	900	650	230779	230791	230803	230827
		780	230780	230792	230804	230828
		910	230781	230793	230805	230829
	1,000	650	230782	230794	230806	230830
		780	230783	230795	230807	230831
		910	230784	230796	230808	230832

- 650 mm height is delivered with 1 shelf as standard
- 780 mm or 910 mm height with 2 shelves
- body depth 373 mm



black transparent 1593L




satinato 1594L



black varnished 1595L



white V2778



Vetro Line set 2.0


- modern design and easy handling
- loaded glass system for quick assembly
- glass handle, colour-coordinated with slats
- a system for vertical use in kitchens
- custom made cassette module (width not adjustable)
- possibility of additional replacement of the individual slats
- guide rails and accessories in anodised aluminium or stainless steel imitation – width 32.5 mm
- for plates of thickness 18/19 mm
- width of slat 50 mm
- cassette height 145 mm (up to 1,000 mm) and 185 mm (up to 1,500 mm)
- cabinet depth min. 296 mm

Vetro Line sets 2.0 without guide rails and accessories

code	colour	cabinet width (mm)	cabinet height (mm)
362767	satinato	600	600-1,000
362768			1,000-1,500
362769		900	600-1,000
362770			1,000-1,500
362771	black	600	600-1,000
362772			1,000-1,500
362773		900	600-1,000
362774			1,000-1,500
362775	white	600	600-1,000
362776			1,000-1,500
362777		900	600-1,000
362778			1,000-1,500
362779	smoky	600	600-1,000
362780			1,000-1,500
362781		900	600-1,000
362782			1,000-1,500

- these sets are without guide profile, which must be ordered according to the chosen colour of the guide rails and the required dimensions





OBLIGATORY ACCESSORIES

- The Vetro Line set 2.0 can be combined with a stainless steel or aluminium guide
- specific accessories must be chosen by selecting the correct cabinet width and height

Stainless steel guide rails and accessories


362787	for set dimensions: width 600, height 600-1,000 (mm)
362788	for set dimensions: width 600, height 1,000-1,500 (mm)
362789	for set dimensions: width 900, height 600-1,000 (mm)
362790	for set dimensions: width 900, height 1,000-1,500 (mm)

- These accessories are only for Vetro Line sets in stainless steel.

Aluminium guide rails and accessories

362783	for set dimensions: width 600, height 600-1,000 (mm)
362784	for set dimensions: width 600, height 1,000-1,500 (mm)
362785	for set dimensions: width 900, height 600-1,000 (mm)
362786	for set dimensions: width 900, height 1,000-1,500 (mm)






Metallic Line sets with guide rail 29 mm


- Rauvolet roller shutter system 20 and 25 mm
- surface treatments: aluminium and brushed stainless steel
- high level of user comfort due to simple and quiet roller shutter motion
- exclusive aluminium or stainless steel surface
- custom made roller shutter sets ready for quick and simple assembly
- the package contains all the necessary components
- individual set dimensions match the usual cabinet sizes
- designed for minimum clear depth of the body 265 mm or rather 276 mm (25 mm profile)
- for material of the thickness 15-19 mm
- atypical sets can be custom made using the order form






Set of custom made roller shutters


code	cabinet height (mm)	cabinet width ¹⁾ (mm)	surface	armature height (mm)
157936	600-1,000	600	aluminium	25
157937	1,000-1,500			
157939	1,000-1,500	900		
157940	600-1,000	600	stainless steel	
157941	1,000-1,500			
157943	1,000-1,500	900		
88336	600-1,000	500	aluminium	20
95564	1,000-1,500			
88338	600-1,000	600		
88382	1,000-1,500			
88383	600-1,000	900		
88385	1,000-1,500			
88337	600-1,000	500	stainless steel	
95565	1,000-1,500			
88339	600-1,000	600		
88333	1,000-1,500			
88384	600-1,000	900		
88386	1,000-1,500			




¹⁾ the outer dimension with a body wall thickness of 18 mm is calculated



Metallic Line sets







1 – balancing mechanism C3

code	cabinet width W (mm)	inner dimension D (mm)
R93228	400	350-384
R92848	600	550-584
R92852	800	750-784
R92853	1,000	950-984
R92854	1,200	1,150-1,184


- simple and quick assembly
- mechanism with flexible width (34 mm range)
- maximum cabinet height 2,200 mm, only 1,900 mm where the width is 600 mm
- better flexibility when using C3 extension adapter (R96219), for inner widths 350-1184 mm



Extension adapter



code	max. extension (mm)	package
R96219	165	1 set


- for balancing mechanism C3



2 – cover strip


code	surface	package
R92841	aluminium	2.5 m
R92842	stainless steel	






3 – Metallic Line roller shutter profile

code	surface	width (mm)	package
R92834	aluminium	20	2.5 m
R88218	stainless steel		
R00011	aluminium	25	
R00012	stainless steel		



4 – overlay guide profile 29 mm for vertical use


code	surface	package
R92845	aluminium	2.5 m
R92846	stainless steel	



5 – end profile with backstop profile

code	surface	package
R92836	aluminium	2.5 m
R92837	stainless steel	


- with integrated fastening strip



6 – sliding pin for Metallic Line roller shutter profile

code	colour	width (mm)	package
R92835	black	20	1 pc
R00013		25	





7 – sliding pin for end profile

code	colour	package
R92838	grey	pair



8 – plastic backstop for end profile

code	colour	package
R92816	black	1 pc


- delivered with a mounting screw



9 – end piece for guide rail 29 mm

code	colour	type
R00054	light grey (aluminium)	left
R00055		right
R00056	grey (stainless steel)	left
R00057		right





Milled-in Classic guide – 8 mm and 12 mm

- guide rails are embedded into a pre-milled groove inside the cabinet
- milling width 13 mm (for 8 mm), or 17 mm (for 12 mm – suitable for high shutters with horizontal movement)
- milling depth 12.5 mm

Recommended roller shutter profiles:




- E23 Plastic (8 mm), p. 12.17
- E9 Plastic (8 mm), p. 12.20
- E4 Plastic (12 mm), p. 12.19

Winding system:

- backwards
- to the winding device

Applicable mechanisms for vertical guide:

- C8
- Caddy
- C6



for more information, see p. 12.17

Milled-in Flexi guide

- flexi guide allows the roller shutter to be curved into an arch
- winding into the winding device can be formed from the guide profile while keeping minimum arch size milling width 13 mm, milling depth 12.6 mm
- guide rails are embedded into a pre-milled groove inside the cabinet
- guide profile available in black and grey only
- a negative radius cannot be used because the armature opens apart only in one direction

Recommended roller shutter profiles:

- E23 Plastic (8 mm), p. 12.17
- E9 Plastic (8 mm), p. 12.20



Winding system:

- backwards
- into the winding device formed from a guide profile

Applicable mechanisms for vertical guide:

- C8
- Caddy
- C6

further drawings on p. 12.18 below



Inset Top Basic guide – screwed

- all-plastic guide
- simple assembly: no milling, just adjust the length of the rail and screw
- possible additional assembly into already completed cabinets
- assembly with guide corners and attachment with screws
- guide rails are parallel with the inside edge of the cabinet
- for the guide rails intended for the roller shutter profiles in the colour of aluminium (plastic) and wood decor are guide rails only in the Uni colours (decor with no pattern)

Recommended roller shutter profiles:




- E23 Plastic (8 mm), p. 12.21

Winding system:


- backwards

Applicable mechanisms for vertical guide:

- C8
- C6
- possible also with C3 after adjusting the guide profile



for more information, see p. 12.21



Inset Top guide – screwed with cover

- aluminium guide, cover strips and end profiles
- mounted guide for screwing inside the cabinet
- simple assembly – no milling, just adjust the length of the rail and screw
- possible additional assembly into already completed cabinets
- possible use of cover strips in the decors identical to colour of the roller shutter profiles

Recommended roller shutter profiles:

- E23 Plastic (8 mm), p. 12.23
- E9 Plastic (8 mm), p. 12.26
- Metallic Line 20 and 25 mm, p. 12.25


Winding system:

- backwards
- to the winding device
- reeling mechanics C3

Applicable mechanisms for vertical guide:

- C8
- Caddy
- C6
- C3

for more information, see p. 12.23



Overlay Frame guide

- overlay guide
- aluminium guide, cover strips and end profiles
- "frame-like" design
- uniform design for cabinets with horizontal and vertical slide
- simple assembly: no milling, just adjust the length of the rail and screw
- possible additional assembly into already completed cabinets
- possible use of cover strips in the decors identical to colour of the roller shutter profiles

Recommended roller shutter profiles:

- E23 Plastic (8 mm), p. 12.27
- Metallic Line 20 and 25 mm, p. 12.29


Winding system:

- backwards
- to the winding device
- reeling mechanics C3

Applicable mechanisms for vertical guide:

- C8
- Caddy
- C6
- C3

for more information, see p. 12.27



Overlay guide with guide rail 29 mm

- overlay guide
- only in aluminium and stainless steel decors
- intended only for vertical movement with mechanism C3
- possible additional assembly into already completed cabinets

Recommended roller shutter profiles:

- Metallic Line 20 and 25 mm, p. 12.13


Winding system:

- reeling mechanics C3


for more information, see p. 12.9

for larger sized cabinets, we recommend using one of the mechanisms for vertical sliding

for detailed information about the mechanism, see p. 12.31 and 12.32




Drawing of the guide rail shortening



Classic guide – milled



- For roller shutter profiles:
- E23 Plastic (8 mm), p. 12.17
- E9 Plastic (8 mm), p. 12.20
- E4 Plastic (12 mm), p. 12.19

Classic guide for E23 profile



Roller shutter profile E23


code	colour	For LDF (laminated) decor
R88309	black	190 Krono
R92827	white	101 Krono
R88265	grey	112, 161 Krono
R77011	aluminium (plastic)	f509 Egger
R88197	beech	045 Krono
R80202	cherry II	344 Krono
R88226	maple	375 Krono
R92856	birch	1715 Krono
R84080	cherry Havana	9755 Krono
R84081	calvados	1792 Krono / 1951 Egger



End profile for E23

code	colour
R88198	black
R92825	white
R88264	grey
R77010	aluminium (plastic)
R88189	beech

code	colour
R92826	cherry II
R88323	maple
R92857	birch
R96948	cherry Havana
R96949	calvados



- possibility to combine with Lehmann lock – code L00060 – for more info, see p. 3.18

Sliding pin for end profile for E23

code	colour
R92824	black
R88306	white
R77014	grey
R88216	brown beech


code	description	colour
R92817	with brake	grey
R96941		brown beech
R95974		black
R00068		white




Classic guide rail (for milling) for E23

code	colour
R92810	black
R88304	white

code	colour
R77012	grey
R88228	brown (beech)





other shutters – Classic guide



Flexi guide rail for E23


code	colour
R96930	black
R96939	grey

- guide rails are embedded into a pre-milled groove inside the cabinet without using guide corners
- radius from 35 mm
- you can choose which arch will be assembled on your cabinet
- a negative radius cannot be used because the armature opens apart only in one direction



Cover strip for E23



code	colour	code	colour
R95793	black	R92811	cherry II
R95794	white	R95796	maple
R95795	grey	R95797	birch
R92819	aluminium (plastic)	R84082	cherry Havana
R92879	beech	R84083	calvados



Winding device for E23


code	type	colour	wind capacity (mm)
R95848	double-threaded	black	670
R95849	four-threaded	black	1,280
R95948		grey	
R92850	five-threaded	black	1,590


- intended only for milling-in in combination with 8 mm Classic guide
- can be used both for horizontal and vertical guides
- recommended max. dimensions for vertical guide: max. width 1,164 mm, max. height 1,590 mm



Corner guide rail 8 mm for milling-in for E23

code	colour	code	colour
R92828	black	R77013	grey
R88305	white	R88229	brown (beech)






Classic guide for E4 profile

Roller shutter profile E4



code	colour	For LDF (laminated) decor
R00003	aluminium (plastic)	F509 Egger

- profile for guide rail with the width of 12 mm
- profile can be used with cabinet height up to 1,900 mm in horizontal feed



End profile for E4

code	colour
R77010	aluminium (plastic)



Sliding pin for end profile for E4


code	colour
R00042	grey

- for 12 mm guide



Cover strip for E4


code	colour
R92819	aluminium (plastic)



Classic guide rail (for milling) for E4

code	colour
R00015	grey


- for 12 mm guide




Corner guide rail for milling for E4

code	colour
R00023	grey

- for 12 mm guide






Classic guide for profile E9

Roller shutter profile E9


code	colour	For LDF (laminated) decor
353554	bright white	W1000 Egger

- profile for guide with the width of 8 mm
- matt surface




Central fastening strip for E9

code	colour	For LDF (laminated) decor
353559	bright white	W1000 Egger



End profile for E9

code	colour	For LDF (laminated) decor
353557	bright white	W1000 Egger



Sliding pin for end profile for E9


code	colour
R00068	white

- with brake




Cover strip for E9

code	colour	For LDF (laminated) decor
353560	bright white	W1000 Egger




Classic guide rail (for milling) for E9


code	colour
R88304	white



Corner guide rail for milling for E9


code	colour
R88305	White 8 mm






Top basic guide – for screwing

- guide rails are inside, parallel with the cabinet edge
- simple assembly – after guide rails are cut
- assembly only using guide corners and attachment with common screws
- possible additional assembly into already completed cabinets
- for higher heights, we recommend to use the balancing mechanism C6, C8 or C3 after adjusting the guide profile
- only for profile E23




Roller shutter profile E23

code	colour	For LDF (laminated) decor
R88309	black	190 Krono
R92827	white	101 Krono
R88265	grey	112, 161 Krono
R77011	aluminium (plastic)	F509 Egger
R88197	beech	045 Krono
R80202	cherry II	344 Krono
R88226	maple	375 Krono
R92856	birch	1715 Krono
R84080	cherry Havana	9755 Krono
R84081	calvados	1792 Krono



End profile

code	colour	code	colour
R88198	black	R92826	cherry II
R92825	white	R88323	maple
R88264	grey	R92857	birch
R77010	aluminium (plastic)	R96948	cherry Havana
R88189	beech	R96949	calvados




- possibility to combine with Lehmann lock – code L00060 – for more info, see p. 3.18

Sliding pin for end profile

code	colour	code	description	colour
R92824	black	R92817	with brake	grey
R88306	white	R96941		brown beech
R77014	grey	R95974		black
R88216	brown beech	R00068		white






Top Basic guide rail

code	colour
R92823	black
R92822	white
R92821	grey
R92820	beige (maple)
R88208	brown (cherry)
R88301	brown (beech)


code	colour
R84086	beige (birch)
R77089	dark grey (for plastic shutters in aluminium colour)
R84084	cherry Havana
R84085	calvados



Corner of the guide rail for screwing for the winding on the back

code	colour
R88209	black
R92801	white
R92802	grey
R92803	beige (maple)
R92804	brown (cherry)
R88302	brown (beech)


code	colour
R84091	beige (birch)
R92831	dark grey (for plastic shutters in aluminium colour)
R84087	cherry Havana
R84090	calvados




Cover strip

code	colour
R95793	black
R95794	white
R95795	grey
R92819	aluminium (plastic)
R92879	beech

code	colour
R92811	cherry II
R95796	maple
R95797	birch
R84082	cherry Havana
R84083	calvados





Top guide – for screwing



- For roller shutter profiles:
 - E23 Plastic (8 mm), p. 12.23
 - E9 Plastic (8 mm), p. 12.26
 - Metallic Line 20 and 25 mm, p. 12.25

Top guide for E23 profile

Roller shutter profile E23

code	colour	For LDF (laminated) decor
R88309	black	190 Krono
R92827	white	101 Krono
R88265	grey	112, 161 Krono
R77011	aluminium (plastic)	F509 Egger
R88197	beech	045 Krono
R80202	cherry II	344 Krono
R88226	maple	375 Krono
R92856	birch	1715 Krono
R84080	cherry Havana	9755 Krono
R84081	calvados	1792 Krono



- package 2.5 m



End profile for E23

code	colour	code	colour
R88198	black	R92826	cherry II
R92825	white	R88323	maple
R88264	grey	R92857	birch
R77010	aluminium (plastic)	R96948	cherry Havana
R88189	beech	R96949	calvados


- possibility to combine with Lehmann lock – code L00060 – for more info, see p. 3.18




Sliding pin for end profile for E23

code	colour	code	description	colour
R92824	black	R92817	with brake	grey
R88306	white	R96941		brown beech
R77014	grey	R95974		black
R88216	brown beech	R00068		white





Top guide profile for E23

code	colour
R95830	aluminium



Guide profile cover for E23

code	colour
R95821	black
R95822	white
R95823	grey
R95824	aluminium (plastic)
R95825	beech
R95826	cherry II

code	colour
R95827	maple
R95828	birch
R00033	cherry Havana
R00034	calvados
R95829	Metallic Line aluminium
R00064	Metallic Line stainless steel



Corner of the Top guide rail for E23

code	colour
R95799	black


Top winding device for E23


code	colour
R95831	black


- can be used both for horizontal and vertical guides
- recommended max. dimensions for vertical guidance: max. width 1,164 mm, max. height 1,240 mm


Cover strip for E23

code	colour
R95793	black
R95794	white
R95795	grey
R92819	aluminium (plastic)
R92879	beech

code	colour
R92811	cherry II
R95796	maple
R95797	birch
R84082	cherry Havana
R84083	calvados






Top guide for the Metallic Line profile

Metallic Line roller shutter profile

code	surface	width (mm)	package
R92834	aluminium	20	2.5 m
R88218	stainless steel		
R00011	aluminium	25	
R00012	stainless steel		




Sliding pin for Metallic Line

code	colour	width (mm)	package
R92835	black	20	1 pc
R00013		25	




Top guide profile for E23

code	colour
R95830	aluminium



Cover strip of guide profile for Metallic Line



code	colour
R95829	Metallic Line aluminium
R00064	Metallic Line stainless steel



End combi profile for Metallic Line

code	colour
R92836	aluminium
R92837	stainless steel

- possibility to combine with Lehmann lock 224510 – for more info, see p. 3.17



Sliding pin to the end combi profile for Metallic Line


code	colour
R92838	grey


- end profile stainless steel and aluminium



Upper cover strip for Metallic Line

code	colour
R96228	Metallic Line aluminium
R00066	Metallic Line stainless steel






Top guide for E9 profile

Roller shutter profile E9


code	colour	For LDF (laminated) decor
353554	bright white	W1000 Egger

- profile for guide with the width of 8 mm
- matt surface




Central fastening strip for E9

code	colour	For LDF (laminated) decor
353559	bright white	W1000 Egger



End profile for E9

code	colour	For LDF (laminated) decor
353557	bright white	W1000 Egger




Sliding pin for end profile for E9

code	colour	description
R00068	white	with brake




Upper cover strip for E9

code	colour	For LDF (laminated) decor
353560	bright white	W1000 Egger





Top guide rail cover profile for E9

code	colour	For LDF (laminated) decor
353556	bright white	W1000 Egger



Top guide profile for E9

code	colour
R95830	aluminium



Corner of the Top guide rail for Metallic Line and E9


code	colour
R95799	black




Top winding device for Metallic Line and E9

code	colour
R95831	black

- can be used both for horizontal and vertical guides
- recommended max. dimensions for vertical guidance: max. width 1,164 mm, max. height 1,240 mm








Frame guide – overlay

- For roller shutter profiles:
 - E23 Plastic (8 mm), p. 12.27
 - Metallic Line 20 and 25 mm, p. 12.29

Frame guide for E23 profile

Roller shutter profile E23



code	colour	For LDF (laminated) decor
R88309	black	190 Krono
R92827	white	101 Krono
R88265	grey	112, 161 Krono
R77011	aluminium (plastic)	F509 Egger
R88197	beech	045 Krono
R80202	cherry II	344 Krono
R88226	maple	375 Krono
R92856	birch	1715 Krono



End profile with overlap for E23


code	colour
R95817	aluminium ¹⁾

¹⁾ raw aluminium profile, must be ordered with the end profile cap with overlap




End profile cap with overlap for E23

code	colour	code	colour
R96071	black	R96076	cherry II
R96072	white	R96077	maple
R96073	grey	R96078	birch
R96074	aluminium (plastic)		




Sliding pin for staff bead with overlap for E23


code	colour
R96088	black
R96089	grey



Frame guide profile for E23

code	colour
R95818	aluminium







Guide profile cover for E23

code	colour
R95832	black
R95833	white
R95834	grey
R95835	aluminium (plastic)


code	colour
R95837	cherry
R95838	maple
R95839	birch



Guide rail end pieces for E23

code	colour
R95840	black
R95841	white
R95842	grey
R95843	aluminium (plastic) and aluminium

code	colour
R95845	cherry
R95846	maple
R95847	birch



Adapter for Frame guide rail for E23

code	colour
R95590	black


- only with C3 mechanism



Cover strip with overlap for E23

code	colour
R95820	aluminium ¹⁾


¹⁾ raw aluminium profile, must be ordered with the cover strip cap with overlap



Cover strip cap with overlap for E23

code	colour
R96080	black
R96081	white
R96082	grey
R96083	aluminium (plastic)

code	colour
R96085	cherry
R96086	maple
R96087	birch



Corner of the Frame guide rail for E23


code	colour
R95799	black




Frame winding device for E23

code	colour
R95831	black

- can be used both for horizontal and vertical guides
- recommended max. dimensions for vertical guidance: max. width 1,164 mm, max. height 1,240 mm






Frame guide for the Metallic Line profile

Metallic Line roller shutter profile

code	surface	width (mm)	package
R92834	aluminium	20	2.5 m
R88218	stainless steel		
R00011	aluminium	25	
R00012	stainless steel		



Sliding pin for Metallic Line


code	colour	width (mm)	package
R92835	black	20	1 pc
R00013		25	



End combi profile for Metallic Line

code	colour
R92836	aluminium
R92837	stainless steel

- possibility to combine with Lehmann lock 224510 – for more info, see p. 3.17



Sliding pin to the end combi profile for Metallic Line


code	colour
R92838	grey

- end profile stainless steel and aluminium





Frame guide rail for Metallic Line


code	colour
R95818	aluminium



Frame guide rail cover for Metallic Line


code	colour
R95816	Metallic Line aluminium
R00065	Metallic Line stainless steel





Cover strip for Metallic Line

code	surface	package
R92841	aluminium	2.5 m
R92842	stainless steel	



Adapter for guide rail for Metallic Line

code	colour
R95590	black

- only with C3 mechanism



Corner of the Frame guide rail for Metallic Line


code	colour
R95799	black




Winding device for Metallic Line

code	colour
R95831	black

- can be used both for horizontal and vertical guides
- recommended max. dimensions for vertical guidance: max. width 1,164 mm, max. height 1,240 mm






Balancing mechanism C3

code	cabinet width W (mm)	inner dimension D (mm)
R93228	400	350-384
R92848	600	550-584
R92852	800	750-784
R92853	1,000	950-984
R92854	1,200	1,150-1,184



- simple and quick assembly
- use for plastic shutters and Metallic Line
- mechanism with flexible width (34 mm range)
- max. cabinet height 2,200 mm, only 1,900 mm where the width is 600 mm
- better flexibility when using C3 extension adapter (R96219), for inner widths 350-1,184 mm, p. 12.8



C6 winding mechanism

code	description
R88329	suitable for all systems



- economical version suitable for all systems
- can only be used in combination with roller shutter profiles: E23 plastic, Metallic Line 20 mm




C8 winding mechanism

code	description
R00060	winding mechanism
R00039	set of support rods

- can only be used in combination with roller shutter profiles E9 and E23 Plastic, Metallic Line 25 mm
- assembly only with the back guidance
- roller shutter end must always be at the back of the body (even in the closed condition)
- possible to assembly into an already finished cabinet with roller shutter (backward guide necessary)








Caddy mechanism

code	description
R00069	Caddy brake (right assembly) black




- only for roller shutters that open from top to bottom and wind up in the winding device
- possible additional correcting of the braking effect of the finished cabinet from the outside
- easy assembly, minimum demands for body preparation
- assembly one brake only (on the right), use the second brake, if needed (make to order)



Central fastening strip

code	colour	code	colour
R84093	black	R96940	aluminium (plastic)
R84094	white	R84096	beech
R84095	grey	R92843	Metallic Line aluminium

- these strips can be combined with all guide systems
- inserted between the end profile and the roller shutter profile or anywhere between profiles for better serviceability (for high cabinets)



Adhesive tape 50 m

code	description
R95879	transparent (white fibres)

- recommended for sticking shutters
- when preparing custom made sets, only the required metres are charged

