

## furniture locks

(0561)	
10521	

Strong locks	3.3
Strong locks with replaceable insert	3.4 – 3.9
Replaceable inserts for Strong locks	3.10
Strong locks with integrated cylinder insert	3.11 – 3.14
Strong electronic locks	3.15 – 3.17
Strong coin lock	3.18
Lehmann locks	3.19
Lehmann locks with replaceable insert	3.20 – 3.40
Lehmann replaceable inserts and keys	3.41 – 3.42
Lehmann coin locks	3.43 – 3.44
Mechanical combination locks	3.45 – 3.51
Other Lehmann locks	3.52
Lehmann electronic locks	3.53 – 3.57
Other locks and accessories	3.58 – 3.60





## Strong locks with replaceable cylinder insert

- locking system where the lock and the replaceable cylinder insert need to be ordered as individual items
- thanks to the replaceable cylinder insert, it is possible to choose identical or different key combinations
- up to 1,500 different key combinations in stock
- this system includes master and removal keys
- Cylinder diameter 18 mm

#### Drawer lock

code	description	cylinder length (mm)	surface treatment
403221	right	22	
403222	left		
403223	centre		obromo
403224	right	32	chrome
403225	left		
403226	centre		







- · the set includes lock and rosette
- it is necessary to buy a replaceable insert, see p. 3.10



TIP: use one or more 403227 spacers for use in thin materials






#### Drawer lock in plastic case


403539	centre	22	plastic
code	description	cylinder length (mm)	surface treatment

- the set includes lock and rosette
- it is necessary to buy a replaceable insert, see p. 3.10











#### **ACCESSORIES**









#### Drawer lock spacer

403227	plastic
code	description
	•

#### Angled striker plate 27 mm

code	description	
134636	nickel	

more angled striker plates p. 3.59

Replaceable insert

p. 3.10






#### Slam lock

code	description	cylinder length (mm)	surface treatment
403228	centre	22	chrome

- when inserting or removing the cylinder insert, it is necessary to push the bolt into the lock
- the set includes lock, rosette and striker plate
- $oldsymbol{0}$  it is necessary to buy a replaceable insert, see p. 3.10






#### Lever lock with cam

code	description	cylinder length (mm)	surface treatment
403239	right	22	chrome

- the set includes lock, rosette and striker plate
- it is necessary to buy a replaceable insert, see p. 3.10








#### Lever lock with hook

code	description	cylinder length (mm)	surface treatment
403240	right	22	chrome


- the set includes lock, rosette and striker plate
- it is necessary to buy a replaceable insert, see p. 3.10








#### **ACCESSORIES**








#### Angled striker plate 27 mm

134636
code







Replaceable insert

p. 3.10

more angled striker plates p. 3.59

3.4 12345 Item in stock 12345 Item on demand







#### Push lock

code	description	cylinder length (mm)	surface treatment
403232	right	22	chrome


- the set includes lock, rosette and striker plate
- it is necessary to buy a replaceable insert, see p. 3.10












#### Push lock with hooked cam

code	description	cylinder length (mm)	surface treatment
403233	right	22	chrome


- the set includes lock, rosette and striker plate
- it is necessary to buy a replaceable insert, see p. 3.10















## Sliding wardrobe lock

code	description	cylinder length (mm)	surface treatment
403248	right	22	chrome

- the set includes lock, rosette and striker plate
- it is necessary to buy a replaceable insert, see p. 3.10












#### Extending bar lock

code	description	cylinder length (mm)	bar (mm)	surface treatment
403603		22	2 × 1000	chrome
403604	right		2 × 1200	
403605	3		1 × 1000 1 × 1200	

- the set includes: lock 1 pc, rosette 1 pc, bar holders 4 pcs, striker plates 2 pcs, shooting bars 2 pcs
- it is necessary to buy a replaceable insert, see p. 3.10
- it is possible to buy also door stopper (p. 7.69) or another counterpart preventing the opening of the second leaf








### Espagnolette lock

code	description	cylinder length (mm)	bar (mm)	surface treatment
403606		2 × 1000		
403607	right	right 22	2 × 1200	chrome
403608	J		1 × 1000 1 × 1200	

- the set includes: lock 1 pc, rosette 1 pc, bar guides 2 pcs, hook holders 2 pcs, upper hook
   1 pc, lower hook 1 pc, pins 2 pcs, holder cover 4 pcs, angled striker plate 1 pc, bars 2 pcs
- it is necessary to buy a replaceable insert, see p. 3.10












#### Knob


code	description	cylinder length (mm)	surface treatment
403247	right	22	chrome



• it is necessary to buy a replaceable insert, see p. 3.10









#### Glass door lock


code	description	surface treatment	for glass thickness (mm)
403234	single glass	chrome	4–7
403235	double glass	critorne	4-7


- the set includes: lock 1pc, plastic underlay 1 pc, plastic screws 2 pcs, striker plate 1pc
- $\ensuremath{ \bullet}$  it is necessary to buy a replaceable insert, see p. 3.10
















#### Glass door lock


code	description	surface treatment	for glass thickness (mm)	
403237	single glass	ahroma	4–14	
403238	double glass	chrome	4-14	







- the set includes: lock 1 pc, striker plate 1 pc, set of accessories 1 pc
- drilling diameter 26 mm
- it is necessary to buy a replaceable insert, see p. 3.10










## Sliding glass door lock with ratchet bar


code	description	surface treatment	for glass thickness (mm)
403236	right	chrome	4–9


- the set includes: lock 1 pc, ratchet 1 pc
- for glass thickness 4-9 mm
- it is necessary to buy a replaceable insert, see p. 3.10

















#### Central lock with accessories


code	description	cylinder length (mm)	surface treatment
403229	centre	22	chrome


- the set includes: lock 1 pc, bar holders 2 pcs, counterparts for wooden drawer 4 pcs, adjustable pins 4 pcs
- it is necessary to buy a replaceable insert, see p. 3.10
- it is necessary to purchase a locking bar












#### **ACCESSORIES**

#### Locking bar

	code	length (mm)
403230		600
	403231	800



#### Central lock counterpart


11248	plastic
code	description

- for wooden drawer
- mounting on the side of the drawer
- central lock dowel pin slides into the bottom groove

### Central lock counterpart

code	description
11299	lacquered metal

- for roll runner slides with a side (Metabox)
- mounting on the base of the drawer





#### Replaceable insert

p. 3.10





## replaceable inserts for Strong locks



#### Replaceable inserts for Strong locks with two hinged keys

#### Different key combinations with the master key option

code	insert number from the series
403184	S0001-S0500
403185	S0501-S1000

#### Different key combinations without the master key option

FURNITURE LOCKS

403186	S1001-S1500
code	insert number from the series

The above-mentioned codes include only one insert with two keys from the series in description, e.g. when ordering 5 pcs of 403184, you will receive 5 randomly selected inserts from the series S0001-S0500.

#### Identical key combinations with the master key option

code	insert number
	IIISELLITUITIDEI
403187	S0001
403188	S0002
403189	S0003
403190	S0004
403191	S0005
403192	S0006
403193	S0007
403194	S0008
403195	S0009
403196	S0010
403197	S0011
403198	S0012
403199	S0013
403200	S0014
403201	S0015
403202	S0016
403203	S0017
403204	S0018
403205	S0019
403206	S0020

#### Identical key combinations without the master key option

code	insert number
403207	S1001
403208	S1002
403209	S1003
403210	S1004
403211	S1005
403212	S1006
403213	S1007
403214	S1008
403215	S1009
403216	S1010



 the code is only for one combination of insert and keys, e.g. when ordering 5 pcs of 403187, you will receive 5 identical inserts with identical keys in the S0001 combination

#### Master keys

code	for series
403217	S0001-S0500
403218	S0501-S1000

- for unlocking all inserts from a given series
- the replaceable insert cannot be removed with this key

#### Removal key



- for removing the replaceable insert from the unlocked lock
- · this key cannot unlock the lock





## Strong locks with integrated cylinder insert



# Strong locks with integrated cylinder insert

- basic types of locks are available in stock
- cylinder insert is integrated in the lock
- without a master key system



#### **Drawer lock**

code	description	
91202	chrome – always different keys	
135084	35084 chrome – always identical key	
283817	sheet metal	

- includes: 1 pc of lock, 2 pcs of keys and 1 pc of rosette
- for the lock 283817, the striker plate is included in the package

it is necessary to purchase also striker plate for the cabinet body (e.g. 134636), p. 3.59








91202, 135084





91202, 135084

#### Sliding door lock


303336	chrome
code	description


• includes: lock 1 pc, mortise striker plate 1 pc, rosette 1pc, keys 2 pcs

















### Lock for two glass doors

code	description
92167	chrome
92167	chrome





for glass thickness 4-8 mm













#### **Push lock**

91216	chrome
code	description


• includes: lock 1 pc, rosette 1 pc, keys 2 pcs













## Strong locks with integrated cylinder insert



#### **Extending bar lock**

code	description	bar (mm)
403592		2 × 1000
403593	chrome	2 × 1200
403594		1 × 1000 1 × 1200


- includes: lock 1 pc, rosette 1 pc, bars 2 pcs, bar fasteners 4 pcs, striker plates for the cabinet body 2 pcs, keys 2 pcs
- it is possible to purchase a door stopper (p. 7.69) or another counterpart preventing the opening of the second leaf





















## Espagnolette lock

code	description	bar (mm)
392482	chrome .	2 × 1000
392483		2 × 1200
392484		1 × 1000 1 × 1200


 includes: lock 1 pc, rosette 1 pc, bars 2 pcs, bar fasteners 2 pcs, end bar fasteners 2 pcs, hooks 2 pcs, dowel pins for the cabinet body 2 pcs, striker plate for the cabinet body 1 pc, keys 2 pcs













## Strong locks with integrated cylinder insert



#### **Central lock**

code	description
91201	lock with bar 600 mm, chrome
303335	lock with bar 800 mm, chrome


- includes: lock, rosette 1 pc, bar fasteners 2 pcs, additional dowel pins 12 mm with securing screws 4 pcs, bar 600/800 mm 1 pc, keys 2 pcs, counterpart for the drawer 4 pcs
- this lock does not have a blocking function to prevent opening of more than one drawer
- the locking bar must be milled into the cabinet body















#### **ACCESSORIES**




#### Additional adjustable pin

91214	9 mm
the nackage includes a senarate adjustab	

 the package includes a separate adjustable pin and a screw (they do not have to be connected)






#### Central lock counterpart

**11248** plastic

- · for wooden drawer
- mounting on the side of the drawer
- central lock dowel pin slides into the bottom groove



#### Central lock counterpart

11299 lacquered metal

- for roll runner slides with a side (Metabox)
- mounting on the base of the drawer




## Strong electronic locks



#### Fingerprint lock

code	description
403644	black

- the lock can work in FIX or FREE (public) mode see the description below
   the protrucion on the figner reader makes finding the ideal position of the
- the protrusion on the finger reader makes finding the ideal position of the finger easier
- 4 × AA batteries (not included in the package)
- USB connector for emergency power supply in case of battery depletion
- the package includes: fingerprint reader 1 pc, lock 1 pc, cable 1 pc, striker plate 1 pc, screws 6 pcs




#### FIX mode

- for one or more users
- the user sets their own fingerprints to control the lock with

#### FREE (public) mode


- suitable for public spaces
- the user selects any free locker with this lock, sets the fingerprint and the lock is locked
- after unlocking the lock, the fingerprints are deleted from the lock's memory and the locker is ready for another user



#### Lock with keypad

code	description
403645	black


- simple design
- 3 × AA batteries (not included in the package)
- password 4–15 characters
- FAKE PIN technology to confuse a potential thief, before
  entering the lock code, enter random numbers,
  then enter the unlock code, the thief is not able to detect the correct
  code for unlocking
- alarm goes off after the fourth incorrect entry
- the lock can work in FIX or FREE (public) mode
- USB connector for emergency power supply in case of battery depletion
- the package includes: keypad 1 pc, lock 1 pc, cable 1 pc, striker plate 1 pc, screws 9 pcs




## Chip card lock with keypad

code	description
403647	black
404836	chip card

- · possibility to open with code or card
- · Mifare technology
- USB connector for emergency power supply in case of battery depletion
- 4 × AA batteries (not included in the package)
- FAKE PIN technology serves to confuse a potential thief before entering the lock code, enter random numbers, then enter the unlock code, the thief is not able to detect the correct code for unlocking
- alarm goes off after the fourth incorrect entry
- the package includes: keypad 1 pc, lock 1 pc, cable 1 pc, screws 6 pcs, latch 1 pc, chip cards 3 pcs









## Strong electronic locks





#### Electronic knob lock with keypad


code	description
403650	black

- entering the code unlocks the lock, turning the knob turns the cam
- the password consists of 4-15 characters
- 2 × AAA batteries (not included in the package)
- FAKE PIN technology serves to confuse a potential thief before entering the lock code, enter random numbers, then enter the unlock code, the thief is not able to find the correct code for unlocking
- · alarm goes off after the fourth incorrect entry
- the package includes: lock 1 pc, cam 1 pc, adapter for mounting into wood 1 pc, USB cable 1 pc, screws 4 pcs, reset cable 1 pc, striker plate 1 pc
- USB connector for emergency power supply in case of battery depletion
- · master key on request
- the lock can also be installed on sheet metal drawing at www.demos-trade.com











#### Fingerprint lock with knob

code	description
403652	black

- placing your finger unlocks the lock, turning the knob turns the cam
- 2 × AAA batteries (not included in the package)
- · alarm goes off after the fourth incorrect entry
- the package includes: lock 1 pc, adapter for mounting into wood 1 pc, USB cable 1 pc, screws 4 pcs, cam 1 pc, striker plate 1 pc, disassembly stick for removing the cover of the master key hole 1  $\ensuremath{\text{pc}}$
- the lock has a hidden hole for emergency unlocking master key on request
- the lock can also be installed on sheet metal drawing at www.demos-trade.com







3.16 12345 Item in stock 12345 Item on demand



## Strong electronic locks



### **Chip lock**

- · mounting on the inside of the door
- the lock does not interfere with the design of the furniture
- easy switching between modes:
  - manual the lock is locked by using the card
  - automatic the lock is locked automatically after 6 seconds
- · the lock operates at a frequency of 125 kHz

code	description
351115	chip electronic lock
351116	chip
396042	user card


- · simple and quick assembly
- programmable without the need to disassemble the lock
- power supply: 3 pcs of AA batteries (not included in the package)
- tested battery life for min. 10,000 openings (depending on the batteries used)
- integrated antenna in the body of the lock
- optimal for boards with thickness up to 20 mm
- · low battery voltage indicator
- signalisation by a long beep sound when the card is held over the reader
- we recommend replacing the batteries at shorter intervals
- we recommend using only alkaline batteries
- voltage input cannot exceed 6 V
- · locks should be installed min. 20 cm apart from one another
- package: programming card 1 pc, user cards 2 pcs, lock 1 pc, striker plate 1 pc







PROGRAMMING INSTRUCTIONS







#### **Coin lock**


code	description
290283	right (5 CZK, 1 €, 1 Zł, 100 HUF)
285184	master key for coin lock


- up to 700 different key combinations

- only the right option
   the package includes: 1 × lock, 2 × key, 1 × coin trap
   for the left option or the option for environments with increased humidity, see p. 3.43











Illustrative photo

3.18 12345 Item in stock 12345 Item on demand





## Lehmann locks – overview
















































## Lehmann locks with replaceable insert

















#### Main advantages of the Lehmann locks


- high-quality workmanship
- made in Germany
- usual production time of items not in stock 3-4 weeks
- a wide range of locks including special solutions

#### Replaceable inserts

- we offer 1,000 different key combinations in stock,  $\boldsymbol{more}$  on  $\boldsymbol{demand}$
- the option of assembling groups of locks with the same key
- master key system



#### centre lock



#### Example of lock orientation:

- 1 centre lock
- 2 left lock
- 3 right lock
- A locking
- B unlocking




#### **Central lock 421**


code	description	cylinder length (mm)	surface treatment
L00010	right	20	nickel



#### A functioning complete set must include:

- rosette 16.5 mm, 1 pc
- bar according to the length, 1 pc
- bar guide, 2 pcs
- dowel pin for the bar (depending on the number of drawers), 1-? pcs
- striker plate (depending on the number and type of drawers), 1-? pcs
- bar lock + pin 17 mm + spacer (for variant with blocking the opening of more than one drawer)
- replaceable insert 1 pc
- for BBP pedestals, a different lock type (L00087 or 122965) must be used in combination with the SVS3 bar – see p. 11.6
- complete solution for office pedestals incl. drawers and locking system can be found from page 11.3








#### Lock for 4 drawers (complete set)

code description		description
136178 complete set for pedesta		complete set for pedestal with 4 drawers

- includes lock 1 pc, rosette 1 pc, bar 600 mm 1 pc, guides 2 pcs, pins 8mm 4 pcs
- necessary to supply with a striker plate for the drawer and replaceable insert according to requirements







#### ACCESSORIES











L00066 nickel








L00014 black plastic



#### Bar

L00011	steel, length 600 mm	
L00012	steel, length 800 mm	
L00013	steel, length 1,300 mm	



#### Pins for the bar

L00025	height 8 mm, nickel
374832	height 10 mm, nickel

- the package includes a separate adjustable pin and a screw (not necessarily assembled)
- the pin L00025 and 374832 is most commonly used for blocking individual drawers
- the pin L00018 is used for blocking the opening of more than one drawer (in combination with L00015 and L00016)

#### Replaceable insert

p. 3.41



#### ACCESSORIES FOR PEDESTAL WITH INTERLOCK SYSTEM

#### Pins for the bar


L00018 height 17 mm, nickel






#### Anti-tilt block

L00017 black plastic



opening of more than one drawer



#### Central lock counterpart

**13408** plastic

 for roll runner slides with a side (Metabox)

 for locking and blocking the opening of more than one drawer

mounting on the base of the drawer



#### Spacer for bar lock

L00016

black plastic

 for offsetting the bar lock from the cabinet body so that the adjustable pins do not hit it in case of blocking the opening of more than one drawer





#### Bar lock in upper position

L00015

black plastic

 ensures that the bar is secured in upper position, in case of blocking the opening of more than one drawer



#### ACCESSORIES FOR PEDESTAL WITHOUT INTERLOCK SYSTEM


#### Drawer stop for central lock

11248

plastic

- mounting on the side of the drawercentral lock pin
- slides into the bottom groove

  primarily designed
  for wooden drawers




#### Central lock counterpart

11299

lacquered metal

- for roll runner slides with a side (Metabox)
- · only for locking
- mounting on the base of the drawer






#### **Central locking of drawers**

The manufacturer of Lehmann locks extended the central locking of office pedestals to other drawer types by introducing the SVS3 universal system set.

This type of locking system is suitable for any type of slide, including slides with double side, ball bearing, roll runner slides, etc.

- a universal solution for locking any set of pull-out drawers
- the set includes a solution for locking up to 6 drawers for an inner height of the body of up to 1,000 mm
- blocking the opening of more than one drawer = tipping over protection
- system ready for 32 mm grid (individually adjustable)

#### Installation



- 2. selection selecting individual parts according
- to the instructions


- · detailed installation manual is included in the package or available for download at www.demos24plus.com
  - 3. attachment attaching the SVS3 central locking bar
  - 4. mounting installation of the central bar and the counterpart to each drawer


#### Mounting of the blocking pin

Align all the fronts and install the blocking pins.

- 1. select the template appropriate for the drawer type
- 2. mark the position for screwing on the blocking pins.
- 3. fasten the blocking pins with screws








#### Mounting of locking pin without template

Mark the blocking pin according to the picture



- · universal solution for any drawer
  - Strongbox, Antaro, Intivo, InnoTech, etc.
  - for ball bearing and roll runner slides
  - for wooden drawers with concealed slides
- · the bar must be milled-in
- the counterpart is installed on the inner side of the front above the side
- the package includes templates for basic types of slides with a double side
- the set must be completed with:
  - lock L00087
  - rosette L00066
  - cylinder insert see p. 3.41







#### © Central locking of drawers on the back of the Remote 462 pedestal

 $\label{thm:continuous} The \ {\tt Remote}\ 462\ {\tt system}\ {\tt allows}\ the\ {\tt locking}\ {\tt bar}\ {\tt and}\ {\tt locking}\ {\tt pins}\ to\ {\tt be}\ {\tt mounted}\ {\tt on}\ the\ {\tt back}\ {\tt of}\ the\ {\tt pedestal}.$ 


Thanks to that, the design of the drawer side is not disturbed by the locking pin.


Great solution for representative or antique furniture.

The lock is the only visible component.


We provide this solution on individual demand.











· Locking pin located on the back of the drawer





#### **Drawer lock 391**


	code	description	cylinder length (mm)	surface treatment
N	L00001	right		
	L00002	left	20	nickel
	L00003	centre		
	366424	right		black
N	385771	left		DIACK
-	L00004	right	32	nickel
	L00005	left		
	L00006	centre		


determining the orientation of the locks on p. 3.20














#### Drawer lock 391 with key block

code	description	cylinder length (mm)	surface treatment
L00049	right	20	nickel

- if the key is lost, the insert cannot be removed and the whole lock must be replaced
- the key cannot be removed while the lock is unlocked


#### **Drawer lock 430**


code	description	cylinder length (mm)	surface treatment
122965	right	20	nickel/plastic

• primarily designed for locking of SVS bar, can be also used as a drawer lock

#### A functioning complete set must include:


- drawer lock 391 or 430, 1 pc
- rosette 16.5 mm 1 pc
- angled striker plate 1 pc
- replaceable insert 1 pc





#### **ACCESSORIES**






#### Angled striker plate 30 mm

L00007	nickel, counterpart
LUUUU1	for screwing on

more angled striker plates and striker plates on p. 3.59







#### Rosette 16.5 mm

L00066	nickel
275116	black





#### Replaceable insert

p. 3.41






#### Slam lock 584

code	description	surface treatment
135579	right-left	nickel


#### A functioning complete set must include:


- lock 584 1 pc
- rosette 16.5 mm 1 pc
- angled striker plate or counterpart for the lock, 1 pc
- · replaceable insert 1 pc











#### **Drawer lock 550**

code	description	cylinder length (mm)	surface treatment
L00009	right-left (switchable)	20	nickel


 the option to switch between left and right locking directions with option to activate key blocking








## A functioning complete set must include:

- cabinet lock 550 1 pc
- rosette 16.5 mm 1 pc
- angled striker plate 1 pc
- replaceable insert 1 pc















activation of key blocking (the key cannot be pulled out while the lock is unlocked)

#### **ACCESSORIES**



Angled striker plate 44 mm

L00008 nickel



Striker plate for lock 584

L00091 striker plate



Rosette 16.5 mm

L00066 nickel



Replaceable insert

p. 3.41

more angled striker plates on p. 3.59







#### Cabinet lock 371


code	description	cylinder length (mm)	surface treatment
L00055	right	20	nickel
255589	left		












#### Roller shutter lock 372.02

code	description	cylinder length (mm)	surface treatment
224510	left	20	nickel


 can be used in the Metallic-Line shutter combi end profile R92836 or R92837, see Chapter 12 Furniture shutters







#### A functioning complete set must include:

- cabinet lock 371 or 372.02 1 pc
- rosette 16.5 mm 1 pc
- striker plate 1 pc
- replaceable insert 1 pc






#### **ACCESSORIES**



#### Mortise striker plate

**223468** nickel, length 75 mm



#### Angled striker plate 30 mm

L00007 nickel





#### Rosette 16.5 mm

L00066 nickel



Replaceable insert

p. 3.41

more angled striker plates on p. 3.59






#### Cabinet lock 415.01


code	description	cylinder length (mm)	surface treatment
L00058	right	20	nickel


## A functioning complete set must include:

- cabinet lock 415.01 1 pc
- rosette 16.5 mm 1 pc
- striker plate 1 pc
- angled striker plate 30 mm or circular strike plate 1 pc
- · replaceable insert 1 pc










#### Cabinet lock 415 with two hooks

code	description	cylinder length (mm)	surface treatment
348976	right	20	nickel

#### A functioning complete set must include:


- · cabinet lock 415 1 pc
- rosette 16.5 mm 1 pc
- · striker plate 1 pc
- replaceable insert 1 pc






#### **ACCESSORIES**
















Rosette 16.5 mm

L00066 nickel



#### Counterpart

L00059

Circular counterpart

L00052 nickel Angled striker plate 30 mm

L00007 nickel



Replaceable insert

p. 3.41


3.28 12345 Item in stock 12345 Item on demand




#### Extending bar lock 292


	code	description	cylinder length (mm)	surface treatment
	L00028	right	20	nickel
N	389288	right	20	black


 for the black lock, the only accessories in black are the rosette and the replaceable insert with keys, other accessories are nickel-plated











#### A functioning complete set must include:


- shooting bar lock 292 1 pc
- rosette 16.5 mm 1 pc
- shooting bar 2 pcs
- the option to purchase a door stopper (p. 7.69) or another counterpart preventing the opening of the second leaf
- shooting bar guide min. 2 pcs
- counterpart for shooting bar (depending on the type of attachment, see accessories) 2 pcs
- angled striker plate (depending on type of attachment, see accessories) 2 pcs
- · replaceable insert 1 pc


#### Shooting bar lock 292 (complete set)

code	description	surface treatment
136175	complete set 1,000 mm	nickel
136200	complete set 1,200 mm	
395511	complete set 1,000 mm	blook
395512	complete set 1,200 mm	

- includes: 1 pc of lock, 1 pc of rosette, 2 pcs of bars, 2 pcs of guides, 2 pcs of angled striker plates
- for the black lock variant, only the lock is black, the rest of the accessories are nickel-plated
- black rosette and black cylinder insert can be purchased for the black lock
- A removable insert must be supplied as required.









Double-leaf cabinet door locking system:
Equip one leaf with a shooting bar lock.
Attach a door stopper on the other leaf
(p. 7.69) so it overlaps the edge.
When the first leaf is locked, the other
door will be blocked by the door stopper
getting caught on the first leaf.



#### **Espagnolette lock 750**

	code	description	cylinder length (mm)	option (mm)	surface treatment
	L00033	right-left		15	nickel
N	349440		20	25	HICKEI
	395496			15	black






• for the black lock, the only black accessories are rosette and replaceable insert with keys, the rest of the accessories are nickel-plated

#### A functioning complete set must include:

- three-point lock 750 1 pc
- rosette 16.5 mm 1 pc
- bar 2 pcs
- · angled striker plate 1 pc
- · upper hook 1 pc
- · lower locking hook 1 pc
- · bar guides min. 2 pcs
- pin 2 pcs
- · replaceable insert 1 pc



switching the locking direction

activation of key blocking (the key cannot be pulled out while the lock is unlocked)

#### Lock 750.15 with bars (complete set)


code	description	surface treatment	
136176	complete set 1,000 mm	nickel	
136177	complete set 1,200 mm	nickel	
395513	complete set 1,000 mm	black	
395514	complete set 1,200 mm	black	


- for the black lock variant, only the lock is black, the rest of the accessories are nickel-plated
- · black rosette and black cylinder insert can be purchased for the black lock
- includes: 1 pc of lock, 1 pc of rosette, 2 pcs of bars, 1 pc of upper locking hook, 1 pc of lower locking hook, 2 pcs of guides, 2 pcs of pins
- a removable insert and an angled striker plate must be supplied as required


#### Three-point lock 750.25 mm with bars (complete set)


code	description	surface treatment	
349745	complete set 1,000 mm	nickel	
349747	complete set 1,200 mm	HICKEI	

- includes: 1 pc of lock, 1 pc of rosette, 2 pcs of bars, 1 pc of upper locking hook, 1 pc of lower locking hook, 2 pcs of guides, 2 pcs of pins
- a removable insert and an angled striker plate must be supplied as required










• an example of the use of locks 750.15 and 750.25 (the same distance between the lock and the edge of both full overlay and half overlay cabinet doors)
























Pin

L00039

L00034	nickel, length 1,000 mm
L00035	nickel, length 1,200 mm
L18319	nickel, length 1,500 mm

#### Upper locking hook

L00036	nickel	
--------	--------	--




L00037	nickel

Bar guide

L00038	nickel	
--------	--------	--





nickel







Angled striker plate 30 mm
----------------------------

L00007	nickel

- · screw-on counterpart
- more angled striker plates on p. 3.59





Rosette 16.5 mm

L00066	nickel
275116	black



Replaceable insert

p. 3.41

3.32 12345 Item in stock 12345 Item on demand



#### **Shutter lock 416**

	code	description	cylinder length (mm)	surface treatment
	L00060	right	20	nickel
N	385778	right	20	black









- suitable for locking furniture shutters with end profile 47  $\times$  25 mm
- · can be used for one or two shutters

or locking Metallic Line shutters, it is possible to use lock 372.02 (code 224510) p. 3.27

#### A functioning complete set must include:


- shutter lock 416 1 pc
- rosette 16.5 mm 1 pc
- counterpart for one shutter (depending on the usage) 0-1 pc
- counterpart for two shutters (depending on the usage) 0-1 pc
- replaceable insert 1 pc







#### single shutter

#### double shutters











#### Lock 405 for shutters with overlap

code	description	cylinder length (mm)	surface treatment	description
381995	right	-	Lock 405	
381999		20	Hickei	cylinder


- lock for slam rail with overlap, i.e. only for full overlay Frame shutter with E23 roller shutter profile
- the advantage is that the lock latch and the guide pin are concealed and almost invisible


## A functioning complete set must include:


- Lock 405
- cylinder 142
- striker plate 406
- rosette 16.5 mm
- replaceable insert 1 pc




















#### Lehmann striker plate 406

**381998** for shutters with slam rail with overlap







L00066 nickel



Replaceable insert

p. 3.41





#### Sliding door lock 515.04


code	description	cylinder length (mm)	surface treatment
227015	right	20	nickel


#### A functioning complete set must include:

- sliding door lock 515.04 1 pc
- rosette 16.5 mm 1 pc
- counterpart 5155, option without the counterpart is also available (will not be secured against leaf deflection between one another prying) 1 pc
- · removable insert 1 pc















## Sliding door lock 515.02


code	description	cylinder length (mm)	surface treatment
142113	right	20	nickel


#### A functioning complete set must include:


- sliding door lock 515.02 1 pc
- swing bar, length 999 mm 1 pc
  rosette 16.5 mm 1 pc
- replaceable insert 1 pc














3.36 12345 Item in stock 12345 Item on demand






#### Push lock 521


code	description	cylinder length (mm)	surface treatment
L00048	right	20	nickel


#### A functioning complete set must include:

- push lock with tailpiece 521 1 pc
- rosette 1 pc
- replaceable insert 1 pc















#### Sliding glass door lock 326


code	description	for glass thickness (mm)	surface treatment
L00054	right	5–8	nickel


• drilling hole diameter in the glass 30 mm




#### A functioning complete set must include:

- glass door lock 326 1 pc
- replaceable insert 1 pc














#### Glass door lock 324


code	description	for glass thickness (mm)	surface treatment
227017	right	4-8	nickel

• for inset glass door


#### A functioning complete set must include:


- glass door lock 324 1 pc
- circular counterpart 1 pc
- glass holder dowel pin 1 pc
- replaceable insert 1 pc

























#### Circular counterpart

**L00052** nic

nickel





#### Glass holder dowel pin

**L00053** nickel





# Key blocking activation pin

281957

key blocking pin for glass door locks

- key blocking is activated
   by inserting the pin into the lock
- can be used for glass door locks 320, 322, 324



#### Replaceable insert

p. 3.41






#### Glass door lock 320 and 321 - Single glass

code	description	for glass thickness (mm)	surface treatment	
L00075	right	4-6	nickel	
350733	right with integrated knob	4-6	nickel	








· drilling hole diameter in glass 26 mm


#### A functioning complete set must include:

- glass door lock 320 or 321 1 pc
- circular counterpart or angle striking plate 1 pc
- · replaceable insert 1 pc










L00075

#### Glass door lock 322 - for double glass

code	description	for glass thickness (mm)	surface treatment
L00050	right	4-6	nickel

- · drilling hole diameter in glass 26 mm
- 1 it is necessary to purchase also front plate L00051 for the second glass






#### Front plate


L00051	nickel
code	surface treatment

#### A functioning complete set must include:

- glass door lock 322 1 pc
- front plate for the second glass 1 pc
- circular counterpart 1 pc
- glass holder dowel pin, only for inset doors (functions as bumper) 1 pc
- · replaceable insert 1 pc







#### **ACCESSORIES**





#### Key blocking activation pin

281957

key blocking pin for glass door locks


- key blocking is activated by inserting the pin into the lock
- can be used for glass door locks 320, 322, 324





#### Glass holder dowel pin

L00053 nickel



#### Angled striker plate 30 mm

**L00007** nickel

· screw-on counterpart





#### Circular counterpart

L00052 nickel



#### Replaceable insert

p. 3.41





#### **Knob 44.1**

code	description	surface treatment
136499	right	
136500	left	matt nickel
136502	knob imitation	


- knob including a hole for replaceable insert lockable
- knob imitation functions as handle or a design feature
- screw for mounting the knob imitation is included in the package
- removable insert must be purchased separately

#### **Knob 42.2**

code	description	surface treatment
300122	right	
394344	left	matt nickel
394345	knob imitation	


- knob including a hole for replaceable insert lockable
- knob imitation functions as handle or a design feature
- screw for mounting the knob imitation is included in the package
- removable insert must be purchased separately





















#### Knob disassembly tool

L00042 nickel



#### Blind cylinder insert

285157 plastic/nickel

 when using lockable knob for locking without a key



Replaceable insert

p. 3.41



# Lehmann replaceable inserts and keys



#### Replaceable inserts with two B1 keys - black

# Different combinations of replaceable inserts with two B1 keys – black

	code	insert number
385770		from series 18001-18500



# Identical combinations of replaceable inserts with two B1 keys – black

	code	insert number
N	385769	18001

#### Replaceable inserts with two B1 keys - nickel

#### Different combinations of replaceable inserts with two B1 keys

code	insert number from the series
211144	18001-18100
211145	18101-18200
211146	18201-18300
211147	18301-18400
211148	18401-18500



code	insert number from the series
237703	18501-18600
237704	18601-18700
237705	18701–18800
237706	18801-18900
237707	18901-19000

#### Identical combinations of replaceable inserts with two B1 keys - nickel

code	insert number	code	insert number
211094	18001	211111	18018
211095	18002	211112	18019
211096	18003	211113	18020
211097	18004	211114	18021
211098	18005	211115	18022
211099	18006	211116	18023
211100	18007	211117	18024
211101	18008	211118	18025
211102	18009	211119	18026
211103	18010	211120	18027
211104	18011	211121	18028
211105	18012	211122	18029
211106	18013	211123	18030
211107	18014	211124	18031
211108	18015	211125	18032
211109	18016	211126	18033
211110	18017	211127	18034

code	insert number
211128	18035
211129	18036
211130	18037
211131	18038
211132	18039
211133	18040
211134	18041
211135	18042
211136	18043
211137	18044
211138	18045
211139	18046
211140	18047
211141	18048
211142	18049
211143	18050



# Lehmann replaceable inserts and keys



# Different combinations of replaceable inserts with two C1 keys

# code insert number from the series 402408 18001–18100 402409 18101–18200 402410 18201–18300 402411 18301–18400 402412 18401–18500



 the above-mentioned codes include only one insert with two keys from the series in description, e.g. when ordering 5 pcs of 402408, you will receive 5 randomly selected inserts from 18001–18100 series

# Different combinations of replaceable inserts with one B1 key and one C1 key

code	insert number from the series
211149	18001-18100
211150	18101-18200
211151	18201-18300
211152	18301-18400
211153	18401-18500






#### Cylinder extension by 22 mm

code	surface treatment
198416	nickel

- · serves as a cylinder extension when using locks from materials with greater thickness
- · the extension can be used for all standard Lehmann locks
- after attaching, the extension cannot be removed
- a cylinder insert must be used for the extension according to the requirements
- First clip on the insert into the extension, then insert the extension into the lock.





#### Spare key

code	description
252874	for combination 18001

· additional spare keys can be ordered



#### Raw keys

code	description
L00080	for replaceable inserts with numbers 18001-18500
355799	for replaceable inserts with numbers 18501-19000

• a semi-finished product which must be milled according to a pattern (of another key)



#### Master key

code	description
L00068	for replaceable inserts with numbers 18001–18500
215448	for replaceable inserts with numbers 18501–19000

• for unlocking all inserts from a given series



#### Removal keys

code	description
L00067	for replaceable inserts from the entire 18000 series

- · for removing the cylinder insert from an opened lock
- · this key cannot unlock the lock






#### Coin lock type 70

#### **Basic**

code	description
336218	right
336219	left

- for coins: 5 CZK, 1  $\in$ , 1 PLN or 100 HUF
- · suitable for public spaces
- if the key is lost, the cylinder insert can be replaced by another one using master key and removal key
- up to 700 key combinations
- package includes: 1 pc of lock, 2 pcs of keys, 1 pc of coin trap






#### **SPA** version

code	description
336220	right
336221	left

- for coins: 5 CZK, 1€, 1 PLN or 100 HUF
- $\bullet \quad \text{ideal for wet environments, swimming pools, spas, etc.} \\$
- cylinder and cam made of fibreglass reinforced with polyamide
- if the key is lost, the cylinder insert can be replaced by another one using master key and removal key
- up to 700 key combinations
- package includes: 1 pc of lock, 2 pcs of keys, 1 pc of coin trap
- minimal order 20 pcs





#### **ACCESSORIES**



# Spare insert for coin lock

<b>336223</b> SPA ve	ersion



# Removal key for coin lock

394364	Basic version
394365	SPA version



# Master key for coin lock


394366	Basic version
394367	SPA version




#### Coin lock type 71


code	description
377466	for inserting a 1 EUR coin
398635	for inserting a 10 CZK coin
398636	for inserting a 1 PLN coin
398637	for inserting a 100 HUF coin

- · the coin lock can be mounted in both sheet metal and wooden door
- coin pull-out resistance 1000 N (corresponds to 100 kg)
- the package includes: coin lock 1 pc, keys on the ring 2 pcs, rubber ring 1 pc, M19 nut 1pc, washer 1 pc, screw 1 pc
- cam must be bought separately
- for material thickness 12-14 mm, fixing element 309274 and washer 350805 must be purchased
- for material thickness 14-20 mm, fixing element 309274 must be purchased












Changing the lock orientation








309275 cam 310, straight



309276

cam 390 offset



309277 cam 400, curved


#### **OPTIONAL ACCESSORIES**



350805



plastic insert for mounting into thin wood, must be combined with fixing element 309274




309274

fixing element for mounting in wood




377488

master key



#### Angled striker plate 30 mm

L00007 nickel





Angled striker plate 44 mm

L00008 nickel


3.44 12345 Item in stock 12345 Item on demand





#### Dial lock 57.01 - fix version


- 4 coding characters, that is 9999 combinations
- simple setting and changing of the code
- elimination of key loss
- left, right and vertical variants are available
- · master key in case you forget the code
- selected colour combinations can be supplied on demand (limited by minimum ordered quantity of the selected colour)






<b>282255</b> right	black	
<b>282256</b> left	DIACK	
<b>293954</b> right	white	

• it is necessary to purchase a cam, see p. 3.48





Drawing of hole in board 18–21 mm for lock types 57, 58, 59.



Drawing of hole in glass 3-6 mm.

#### Video tutorials

User code setting:

User code change:

Emergency opening without code change:



Finding out the set code:





#### General key for lock types 57, 58 and 59

282259

• for emergency opening of lock types 57, 58 and 59 in case you forget the code



# Code finding pin for lock types 57 and 59

**193598** nickel

THOROT

 setting or changing the code (carried out from the front of the lock)

key version Z0001, nickel





#### Dial lock 58.01 - free version

PUBLIC (FREE) version

The user selects any free cabinet, sets a code and locks the lock. To unlock, the user sets the code and the lock unlocks.


The lock is reset and ready for a new user.

- 4 coding characters, that is 9999 combinations
- · elimination of key loss
- left, right and vertical variants are available
- · emergency key in case you forget the code
- selected colour combinations can be supplied on demand limited by minimum ordered quantity of the selected colour


code	orientation	colour
345431	right	blook
345432	left	black
346614	right	white

• it is necessary to purchase a cam, see p. 3.48


master key see p. 3.45







Drawing of hole in board 18-21 mm for lock types 57, 58, 59.



Drawing of hole in glass 3-6 mm.

#### Video tutorials

Lock type 58 - STANDARD USE - locking and unlocking



Lock type 58 - EMERGENCY OPENING - with emergency key and by resetting the code






3.46 12345 Item in stock 12345 Item on demand





#### Dial lock 59.01 - fix version

- · Code lock type 59 represents the new generation of locks replacing type 57, that is the FIX code
- dimensions and design are identical to the lock 58
- setting and changing the code by using the code finding pin, which slides into the hole in the knob







code	orientation	colour
344354	right	black
343443	left	DIACK
343442	right	white


• it is necessary to purchase a cam, see p. 3.48







Drawing of hole in board 18-21 mm for lock types 57, 58 and 59.



Drawing of hole in glass 3-6 mm.

#### Video tutorials

First user code setting:



User code change:



User code reset with master key:



#### **ACCESSORIES**



**Emergency key** for lock types 57, 58 and 59

key version Z0001, nickel

• for emergency opening of lock types 57, 58 and 59 in case you forget the code




Code finding pin for lock types 57, 59

193598

 for setting or changing the code (carried out from the front of the lock)


nickel



Mortise striker plate

223468 nickel, length 75 mm

• more angled striker plates on p. 3.47




L00007







#### Cams


code		description
252254	Ļ	straight cam type 477







code	description
229995	offset cam, type 460





281977	hooked cam, type 2-027
code	description









#### Dial lock with mechanical numerical codes 60 and 61

- after locking, the number plates rotate to zeros automatically = protection against misuse of the set code
- suitable for mounting into glass or sheet metal material thickness up to 11 mm
- when using fixing element 309274, mounting into wood is also possible material thickness 10-20 mm
- · locking mechanism made of zinc
- the body of the lock is made of special plastic, reinforced with glass fibre
- · possibility to choose the cam
- the lock also functions as handle

code	type of lock	version	colour
309272	- 60	fix free	black
309278			white
336216	61		black
336217	01		white






#### Fix version

• the lock is always unlocked with the same code


#### Free version

- the user selects any free cabinet, sets a code and locks the lock
- to unlock, the user sets the code and the lock unlocks
- the lock is reset and ready for a new user

• it is necessary to buy a cam, see table of accessories on the next page









#### Mounting of the lock


Drilling into sheet metal (material thickness 0.7-11 mm)



#### Drilling into sheet metal



#### Drilling into wood (material thickness 12-20 mm)




3



# mechanical combination locks









309275

cam 310, straight



309276

cam 390, offset



309277

cam 400, curved

#### **OPTIONAL ACCESSORIES FOR LOCKS 60 and 61**



350805

plastic insert for mounting into thin wood, must be combined with fixing element 309274



309274




fixing element for mounting into wood





master key






#### Angled striker plate 30 mm

L00007

nickel

- screw-on counterpart
- more angled striker plates on p. 3.59





#### Angled striker plate 44 mm

L00008

3.50 12345 Item in stock 12345 Item on demand

# FURNITURE LOCKS mechanical combination locks

# Other variants of mechanical combination locks on request

#### Central lock




#### **Drawer lock**




Sliding door lock



Three-point lock



#### Shooting bar lock






#### Wing knob with padlock fitting

code	description	surface treatment	
350804	right	nickel	
394666	padlock	blue	

Wing knob with padlock fitting is suitable for sheet metal doors (with fixing element also for laminated particle board).

Attaching the padlock prevents the lock from unlocking.


- mounting into material with thickness of 0.7-11 mm
- for material thickness of 12–14 mm, fixing element 309247 and washer 350805 must be purchased
- for material thickness 14-19, fixing element 309274 must be purchased
- suitable for padlocks with up to 8 mm in diameter






#### Sheet metal door lock

- cylinder length 15 mm
- hole drilling diameter 19 × 16.5 mm
- it is necessary to purchase a cylinder insert
- it is necessary to purchase a cam according to requirements:
  - 252254 straight cam type 477
  - 229995 offset cam type 460
- possible to purchase an angled striker plate






# **Cam 252254** straight type 477



229995 offset type 460



Angled striker plate 30 mm





Replaceable insert

p. 3.41

screw-on counterpart



### Lehmann electronic locks



#### M410 lock with TA03 keypad

#### M410 lock set with keypad

code	description	package (pcs)
396209	lock with black keypad	1
396210	lock with black keypad (industrial package)	25
396211	lock with keypad nickel mat	1
396212	lock with keypad nickel mat (industrial package)	25

#### Possibilities of this system:


- lock can operate in the FREE mode for use in public spaces locking by one-off code locking and unlocking by entering individual code (3–10 units long), after unlocking, the lock is ready for another user who locks the lock with another random code (3–10 digits long). in this version, it is also possible to set regular unlocking at a certain time in case of an intentional locking of an empty cabinet which would limit its use
- lock can operate in FIX mode locked with fixed code always locking and unlocking with the same code 3–10 digits long
- the lock always has a Master code that allows you to open the lock if you forget the code (the master code can also be changed)
- in case of forgetting both codes, the lock can be reset to the factory setting using the reset code (the code can also be changed)
- it is recommended to change the batteries every two years; low battery is indicated by a flashing LED diode on the keypad






#### The set includes:

- lock M410
- keypad TA03
- · keypad frame
- cam
- cam protection
- pin
- connecting cable 200 mm
- · counter plate
- battery










#### TA03 keypad

- · integrated handle function
- label option for box numbering
- · resistant to cleaning agents and disinfection
- two levels of low battery voltage warning
- emergency power supply from a commonly available 9V battery
- compatible with M410 and M610 locks











#### Lehmann electronic locks



#### Lock with Bluetooth control

#### **Electronic lock M400BT**

code	description
282251	with Bluetooth function

#### Advantages of this system:

- you have your smartphone = you have your key
- use the application on your smartphone to control the lock or a group of locks, information about battery status
- one lock can be paired with up to 4 devices (can only be controlled by one device at a time)
- free application for iPhone, iPod or iPad, and for devices running on the ANDROID system, an extended paid application is available as well
- on demand possible to apply solutions for central locks for pedestals, high cabinets, etc.
- · high security

#### Free application:

- · adding and removing paired locks
- · unlocking and locking the lock
- identification of the lock status (closed/opened)
- · low battery warning

#### Paid application - several options that include:


- KeylessGo automatic unlocking/locking if the "remote control" is in the signal range
- grouping of locks and their complete control
- identification of signal strength (distance from the lock)
- · possibility of blocking using a PIN
- possibility to reset to factory settings






The set includes:


- lock M400BT
- · optical unit
- · counterpart, programming stick
- · cable, batteries and mounting material

















# Chip locks with 13.56 MHz MIFARE® Classic / DESfire EV1, EV2

Locks can be used in two modes - FIX and FREE. Factory setting is in the fix mode, the mode card can switch it to the FREE one.

#### **FIX mode**

For a user with their own cabinet. The lock can only be controlled by a card paired with the lock. The lock can be paired with up to 30 user cards using a master card.

#### Free mode

The card is paired with the lock by locking it, and this pairing is then cancelled by unlocking the lock. Ideal for spaces where the user chooses a cabinet.

#### Steps

The user selects any free cabinet, sets a code, and locks the lock. At this point, the card is paired with the lock and no other card can be used for this lock. At the same time, this card cannot be used for another lock. The lock is unlocked by holding the card which locked the lock over it. Chip locks with Legic LEGIC RFID 13.56 MHz technology can also be supplied on request.

Chip locks with HID or Legic RFID 13.56 MHz technology can also be supplied on request.

Lehmann chip locks are compatible with the LMS system, p. 3.57

#### **Chip locks**

#### M400

- electronic lock M400 basic type
- $\bullet \hspace{0.4cm}$  mounting on the door from the outside and inside
- the lock is right-left
- battery type CR123A with lifetime of 20,000 cycles (the battery is part of the package)

#### M410


- smaller dimensions in comparison with the M400 model
- thanks to a symmetrically placed cam, the lock is right-left
- mounting into sheet metal, HPL and wood (using fixing element)
- micro USB for updates and service
- battery type CR123A with lifetime of 25,000 cycles (battery is part of the package)
- · resistant to disinfectants
- can be combined with readers L033-A01 or L033-A02
- · the lock is right-left

#### M610


- same drilling as for Lehmann coin lock
- lock protection rating IP55
- mounting into sheet metal, HPL and wood (using fixing element)
- micro USB for updates and service
- $2 \times$  battery type CR123A with lifetime of up to 30,000 cycles (battery included in the package)
- resistant to cleaning agents and disinfectants
- can only be combined with the L033-A03 reader (protection rating IP65)
- · separately right and left lock variant
















### Lehmann electronic locks



#### Readers

#### L033-A01

- · mounting on the door from the outside and inside
- · does not have IP protection

#### L033-A02

- · mounting on the door from the outside only
- · does not have IP protection


#### L033-A03

- mounting on the door from the outside only
- · protection IP65
















#### Set of locks with readers

code	type of lock	type of reader	package contents	reader mounting
350420	M400	L033-A01	lock, reader, batteries, counterpart, fittings	inner and outer sides of doors
350423		L033-A02	lock, reader, spacer for the reader, batteries, counterpart, fittings	only the outer part
350426	MAHO	L033-A01	lock, reader, batteries, counterpart, fittings	inner and outer sides of doors
350429	M410	L033-A02		
350432	M610, right L033-A03 lock, reader, spacer under the reader, batteries, counterpart, fittings	only the outer part		
350435	M610, left	L033-A03		

- possible to order from 1 pc
- for sheet metal doors, only models with spacer may be used (L033-A02 or L033-A03)
- the spacer in combination with the reader functions as a handle
- chip cards are not included in the set (see accessories)

#### **ACCESSORIES**

#### Chip cards

350800 user card

- · end user card
- · can be used for existing MIFARE systems (functionality needs to be tested separately)
- number of cards according to the number of lock users

394761 chip in the form of a black watch  394762 chip in the form of a blue watch  403534 chip in the form of a red watch		
of a blue watch  chip in the form	394761	
703537	394762	
of a fed water	403534	chip in the form
		or a roa wator

set of cards: Master, 350801 update and service

- this set is required for programming user cards
- · one set is enough for a group of locks
- · the set contains:
  - Master a programming card
  - **Update** to update the software
  - Service this card can be used for copy making of the Master card
- 350802 installation card
- · this card is not required, it is an optional accessory
- for testing the functionality of the lock in factory settings, i.e. only for furniture manufacturers
- the card cannot be used for a lock programmed with a master card
- · one card is enough for a group of locks

350803

set of cards

- · this set is not required, it is an optional accessory
- one set is enough for a group of locks
- · cards included in the set:
  - Mode this card switches between the FIX and FREE modes
  - Sound this card can be used to mute the lock sound (beep sound when unlocking and locking), the low battery sound signal will always be audible
  - Reset this card resets the lock to factory settings

chips in the form of watches are compatible with the LMS system, p. 3.57

3.56 12345 Item in stock 12345 Item on demand



#### Lehmann electronic locks

#### LMS - Lehmann Management System

Easy management of access rights and management of locking by mouse clicks.

The LMS system allows you to have an immediate overview of the lock status with the option of displaying it in the form of an overview or a list.


Lehmann Management Software LMS is a solution for the Windows ® system that makes access rights management and configuration of the Lehmann MIFARE ® RFID simple. LMS is an effective way to create and manage security!


#### Advantages:


- easy and fast assignment and management of access rights
- · visualisation of access rights in the form of matrix or list
- multi-level group functions enable fast and efficient management of access rights of transponders and locks
- · modular software structure
- · "Help" function for LMS users
- the software is designed for both stand-alone applications and complete company network solutions
- multilevel authorisation for security administrators
- integrated "automatic unlocking" and "automatic locking" functions
- effective response to the loss of transponders with quick change and temporary access functions
- LMS software is fully compatible with all Lehmann MIFARE  $^{\tiny{\textcircled{\tiny{0}}}}$  RFID systems

System requirements: 64-bit Windows (Win7 / Win8 / Win10), 4GB RAM. To transfer data between the software and RFID systems, a smartphone with the Android system and the NFC function is required, on which Data Transfer will be installed. A desktop USB reader is also required.









#### 3

# other locks and accessories




#### Lock FAB 462


code	description
88289	nickel
11245	brass


- · right-left version
- various key combinations




























#### Corner furniture latch

L00064	bolt, nickel
code	description

#### Additional adjustable pin

code	description
91214	9 mm

# Drawer stop for central lock for wooden drawer

code	description
11248	plastic

- usage: mounting on the side of the drawer
- central lock pin slides into the bottom groove
- primarily designed for wooden drawers



# Drawer stop for central locks for roll runner slides with side (Metabox)

code	description
13408	for locking and opening blocking of more than one drawer, plastic


usage: mounting on the bottom of the drawer




# Drawer stop for central locks for roll runner slides with side (Metabox)

code	description
11299	only for locking, lacquered metal

usage: mounting on the bottom of the drawer




# other locks and accessories



#### Angled striker plate 44 mm

L00008	nickel
code	description

• the package includes a separate pin and a screw (they do not have to be assembled)



#### Mortise striker plate


223468	nickel, length 75 mm
code	description



#### Angled striker plate 27 mm

code	description
134636	nickel






#### Counterpart


L00065	angled striker plate for a bolt
code	description





#### Angled striker plate 30 mm


code	description
L00007	nickel, counterpart for screwing on



#### Angled striker plate 65 mm

code	description
11230	nickel





#### Striker plate for lock 584

L00091	striker plate

# STRONG LOCKS You can change it any time



